राजस्थान सररकार कार्यालय वित्त नियंत्रक कृषि विश्वविद्यालय जोधपुर मण्डोर रेल्वे स्टेशन के सामने, जोधपुर–342304 राजस्थान फोन नं. 0291–2570711 / ई–मेल comptrollerfin@gmail.com

क्रमांकः-F.3 ()Acctts/AU/Jodh/2024-25/ 234

Date - 12/07/24

ई-बोली सूचना संख्या 04/2024-2025

राजस्थान के राज्यपाल महोदय की ओर से अधोहस्ताक्षरकर्ता द्वारा निम्नलिखित उपापन हेतु निर्धारित प्रपत्र में इच्छुक बोलीदाताओं / प्रतिष्ठित अनुभवी एवं अधिकृत कम्पनियों / फर्मों ई—उपापन प्रक्रिया के अंतर्गत निम्नानुसार बोलियां आंमत्रित की जाती है।

क्र	उपापन की	अनुमानित	बोली	बोली	बोली	बोली	बोली प्रस्तुत	तकनीकी
सं	जाने वाली	लागत	प्रतिभूति	दस्तावे	प्रकिया	डाउनलोड	करने एवं	बोली खोलने
	विषय वस्तु	(लाखों में)	राशि (रू.)	ज शुल्क	शुल्क	प्रारम्भ व	कॉलम सं. ४,	की दिनांक व
	का विवरण			(अप्रतिदे	(अप्रतिदेय)	प्रस्तुति की	5, 6, में	समय
				य)	रूपयों में	दिनांक व	अंकित	
				रूपयों	-	समय	दस्तावेज	
		2.		में			शुल्क जमा	
							करने की	
							अन्तिम	
				- n			दिनांक व	
							समय	
1	2	3	4	5	6	7	8	9
1	Furniture for	17.30 लाख	बोली	590	500	13.07.2024	25.07.2024	26.07.2024
	HVC		प्रतिभूति 2			04.00 PM से	04.00 PM	11.00 AM
	Residence		% =				तक	
			34600					
			(RTPP					
			नियम 2013					
		~	के प्रावधानों					
	¥.,	0.1	के अनुसार)	2				

आवश्यक शर्ते एवं निर्देशः—

 बोली आनलाईन प्रस्तुत करने तथा कॉलम संख्या 4,5,6 में वर्णित दस्तावेज व शुल्क भौतिक रूप से जमा करने की अन्तिम दिनांक व समय कॉलम संख्या 08 के अनुसार रहेगी।

- विभिन्न बोलियों के संबंध में विस्तृत शर्ते एवं अन्य विवरण कार्यालय समय में कार्यालय तथा उपापन पोर्टल www.sppp.rajasthan.gov.in पर देखा जा सकता है। बोली www.eproc.rajasthan.gov.in एवं www.sppp.rajasthan.gov.in से डाउनलोड कर www.eproc.rajasthan.gov.in प्रस्तुत की जानी है।
- 3. ऑनलाईन बोली प्रक्रिया में वे ही संवेदक भाग ले सकेंगे जिनके पास Digital Signature Certificate होने के साथ ही उक्त वेबसाईट पर पंजीकृत होंगे।
- 4. किसी भी प्रकार के स्पष्टीकरण अथवा शुद्धिकरण की नवीनतम जानकारी हेतु बोली डाउनलोड करने वाले बोलीदाता नियमित रूप से उक्त वेबसाईट का अवलोकन करते रहे।
- कार्यादेश में वर्णित संस्थाओं में आपूर्ति कार्यादेश में वर्णित अवधि/दिवस में करनी होगी अन्यथा नियमानुसार एल.डी. चार्जेज की कटौती की जायेगी।
- निर्धारित तिथियों को राजकीय अवकाश होने पर बोली उसके अगले कार्यदिवस को उक्त निर्धारित समय पर खोली जायेगी।
- 7. राज्य में सामान्य वित्तीय एवं लेखा नियम, राजस्थान लोक उपापन में पारदर्शिता अधिनियम 2012 व नियम 2013 प्रभावशील है। अतः बोली पर उक्त अधिनियम व नियम के सभी प्रावधान प्रभावशील होंगे।

Page 1 of 36

- 8. किसी भी बोली को पूर्ण/आंशिक रूप स्वीकार करने अथवा बिना कारण बताये अस्वीकृत करने के समस्त अधिकार विश्विद्यालय के पास सुरक्षित रहेंगे। जिसके संबंध में फर्म से किसी प्रकार के प्राप्त पत्रों पर विचार नही किया जायेगा।
- 9. बोली में दर्शाये गये फर्नीचर की संख्या घटाई / बढाई जाने के समस्त अधिकार विश्वविद्यालय के पास सुरक्षित रहेंगे। जिसके संबंध में फर्म से किसी प्रकार के प्राप्त पत्रों पर विचार नही किया जायेगा।
- 10. बोली के साथ दिये जाने वाले समस्त दस्तावेजों पूर्ण रूप से भरे जायेगे।
- 11. Financial bid evaluation will be made on the most advantageous bid basis (Total value evaluation).
- 12. बोली के साथ दिये जाने वाले दस्तावेजों के अनुसार पूर्ण भरे हुऐ एवं आवश्यकता अनुसार समस्त दस्तावेज सलंग्न करें अन्यथा बोली खोलने के संबंध में विश्विद्यालय द्वारा लिया गया निर्णय अन्तिम होगा।
- 13. अगर आपको कार्यादेश जारी किया जाता है तो कार्यादेश में वर्णित आपूर्ति अवधि में फर्निचर की आपूर्ति करावें। अगर किन्ही परिस्थितियों के दृष्टिगत आप समयावधि में आपूर्ति नहीं कर सकते है तो आपूर्ति अवधि समाप्त होने से पहले विभाग को लिखित में सूचित करेंगे अन्यथा संस्था द्वारा आपूर्ति स्वीकार नहीं की जायेगी। नियमानुसार सक्षम प्राधिकारी द्वारा आपूर्ति अवधि बढाने के पश्चात् ही फर्निचर की आपूर्ति करावें।
- 14. सशर्त बोली स्वीकार नहीं होगी।
- 15. समस्त विवादों का न्यायिक क्षेत्र जोधपुर (राजस्थान) रहेगा।

वित्त नियंत्रक

कृषि विश्वविद्यालय, जोधपुर

BID DOCUMENT FORM

- 1. Name of work: Supply of furniture at Hon'ble Vice Chancellor Residence.
- Name & Full address of the firm submitting the bid along with Tel. No., Fax No. & E-Mail/Mobile Number:

M/s Mobile No. Email ID Address to: - Comptroller, Agriculture University, Jodhpur

(E-mail:- comptrollerfin@gmail.com)

- 4. Reference -Bid Notice No. dated
- 5. The Bid fee is Rs. 590/- in favour of Comptroller, Agriculture University, Jodhpur and Bid Earnest Money (EMD) is Rs. 34600/- in favour of Comptroller, Agriculture University, Jodhpur and Bid Processing fee of Rs. 500 in favour of MD, RISL, Jaipur as per tender notice vide separate demand drafts.
- 6. All documents required as per bid documents are enclosed.
- 7. Goods will be delivered within the stipulated delivery period from the date of the supply order at HVC Residence, Agriculture University, Jodhpur on the designated place mentioned in the work order.
- 8. A sample of furniture will have to made available in the University on demand after technical evaluation.
- 9. Penalty of late delivery will be deducted as per applicable GF & AR.
- 10. If the supply is not satisfactory, the contract can be cancelled by giving 15 days' notice period to the firm. University will have full right to forfeit the security amount.
- 11. The firm will adopt all safety measures /precautions while executing the supply. In case of any accident /causality of any personnel, involved in supply the complete responsibility will be borne by the firm himself and University will not be held responsible for any claim/compensation.
- 12. The Supplier shall ensure the quality of supplied material used in the supply as per specification given in the order. If inferior quality material is found, the University shall not make any payment to the Firm.
- 13. In case of supply of any defective material or substandard material, the materials will be rejected & it will be the responsibility of the supplier for taking back & replacing the rejected materials at their own cost. In case of non-lifting of such rejected materials within a reasonable time offered by the office it will have the right to suitably dispose off the same

3.

and forfeit the amount.

- 14. If any delay/deficiency occurred by the firm in supply of items, penalty as decided by the University shall be imposed. It will be in addition to the University's right to forfeit the security, cancel the contract and black list the firm form further participation in bidding.
- 15. Bidder's offer is liable to be rejected if they don't submit any of the certificates/documents sought in the Bid Document.
- 16. Quantity of items can be increased/decreased/cancelled. University is competent to accept/refuse the Tender/Tenders without quoting any reason thereof.
- 17. The bidder must be registered for at least 2 years. A photocopy of the registration certificate has to be attached with the tender.
- 18. If the tenderer has any doubt regarding any condition/item's specification can be obtained by contacting the office on any working day up to one day before the last date of submission of tender.
- 19. The tenderer should ensure that all the required documents, as mentioned in this bidding document, are submitted along with the bid and in the prescribed format only. No submission of the required documents or submission of the documents in a different format/content may lead to the rejections of the bid proposal submitted by the bidder.

AGRICULTURE UNIVERSITY, JODHPUR

JODHPUR 342304, Rajasthan, India कृषि विश्वविद्यालय, जोधपुर

जोधपुर 342304 राजस्थान, भारत



Tele fax : 0291-2570711(O) E-mail: comptrollerfin@gmail.com

Fill in the blank and on which page DD enclosed and other information by tenderer Bid Notice No. 04/2024-25 (e-tender)

Check list for Furniture

S. No.			Particular	
1.	Earnest Money	DD No.:		
2.	In Favour of Comptroller, Agriculture University,	Date:		
	Jodhpur)	Bank:	1	
		Amount:		
3.	Bid Fee	DD No.:	3	
	(In Favour of Comptroller, Agriculture University,	Date:		
	Jodhpur)	Bank:		
		Amount:		
4.	Bid Processing Fee	DD No.		
	(In favour of MD, RISL, Jaipur)	Date:		
		Bank:		
		Amount:		
5.	Bidder Financial turnover certificate FY 2020-21,	2020-21		
	2021-22, 2022-23 issued by CA having average	2021-22		
6	turnover of ₹ 40 lakhs	2022-23		
6.	OEM Financial turnover certificate FY 2020-21,	2020-21		
	2021-22, 2022-23 issued by CA having average turnover of ₹ 5 Crore	2021-22 2022-23		
7	Tender Terms & Condition SR-16 signed	2022-23		
7.				
8.	Tender Terms & Condition duly signed			
9.	Declaration by the tenderer (SR-11)			
10.	GST Registration Certificate			
11.	GST Clearance Certificate			
12.	GST Declaration (Ann-2)			
13.	Technical Specification Sheet with all required certificates (Ann-3)			
14.	Price Charging Certificate (Ann-4)			
15.	Format for Non-Blacklisting of bidder on NJS of ₹ 50 (Ann-5)	e. e. , lai		
16.	Annexure A, B, C, D duly signed			
17.	Literature/Leaflet/PAN Card/Catalogue etc.	-		
18.	OEM/OEM Authorization Certificate (Ann- 6)			
19.	Other Points and documents as desired in bid documents	2		
Cove	er – II Financial Bid/ Price Bid/BOQ(.xlsx)			
1.	BOQ (Ann-1) Price bid / BOQ Details of Price bid / BOQ/ all item price to be quoted by bi considered.			

Notice: All Column should be filled compulsory by Tenderer.

Annexure-1

BOQ

S. No.	Description (Technical Specification as per Annexure-3)	Qty.	Rate	Amount (incl of all charges)
1.	King Bed	4 Nos.	÷.	
2.	Mattress King Size 78 72 5	4 Nos.		
3.	Pillow	8 Nos.		
4.	Bed Side Table	7 Nos.		
5.	Media Unit	5 Nos.		
6.	Study Table	4 Nos.		
7.	Study Chair	4 Nos.		
8.	12-Seater Dining Table	1 Nos.		
9.	Dining Chair	12 Nos.		
10.	U Shape Sofa as per Layout	1 Nos.		
11.	L Shape Sofa as per Layout	1 Nos.		
12.	3-Seater Sofa	5 Nos.		
13.	2-Seater Sofa	1 Nos.		
14.	Coffee Table	8 Nos.		
15.	TBL 1650 LH/RH RU 1200 PDL	1 Nos.		
16.	High Back Chair	1 Nos.		
17.	Visitor Chair	3 Nos.		
18.	Main Desk 2 Size: 1500*750*743 mm	1 Nos.		
19.	High Back Chair	1 Nos.		
20	Visitor Chair	2 Nos.		

Terms & Conditions:

- 1) All the brochure/information/Security features regarding furniture must be attached with the BID only.
- 2) The rates will be inclusive of all taxes/installation/freight/postage/media charges (if any).
- 3) Bidder must give his acceptance of these terms and conditions.
- 4) Delivery must be completed within 30 days at HVC Residence, Agriculture University, Jodhpur after issuance of supply order by the Comptroller, Agriculture University, Jodhpur.
- 5) Penalty for late delivery will be deducted as per applicable GF & AR rules.

"CONDITIONS OF TENDER AND CONTRACT FOR E- TENDER"

NOTE: - Tenderer should read these conditions carefully and comply strictly while submitting their tenders: -

- 1. Signed scan copy of registration certificate, GST certificate, complete form of tender along with terms and conditions will have to be uploaded along with scan copy of DD/Banker Cheque of Bid fee, Processing fee and EMD. Financial bids will not be opened in case of non-upload. No offline documents will be accepted in the office except DD / Banker Check for Bid Fee, Processing Fee, EMD and Non-Blacklisting of Supplier on Non-Judicial Stamp of Rs. 50/-. The technical bid of tenderers will be opened who has submitted the DDs of Bid fee, Processing fee, EMD and Non-Blacklisting of Supplier on Non-Judicial Stamp of Rs. 50/. If the holiday remains on that day for any reason, then the tenders will be opened at the same time on the next working day.
- Tenders by Bona-fide Dealers: "Tenders shall be given only by bona-fide dealers in the 2. goods. They shall therefore furnish a declaration in the S.R. Form-11(Copy enclosed).
- (i) Any change in the constitution of the firm, etc. shall be notified forthwith by the 3. contractor in writing to the Purchase Officer and such change shall not relieve any former member of the firm, etc. from any liability under the contract.

(ii) No new partner/partners shall be accepted in the firm by the contractor in respect of the contract unless he/they agree to abide by all its terms, conditions and deposit with the Purchase Officer a written agreement to this effect. The contractor's receipt for acknowledgment or that of any partners subsequently accepted as above shall bind all of them and will be sufficient discharge for any of the purpose of the contract.

- G.S.T. Registration and G.S.T. clearance certificate: No Dealer who is not (i) registered under the G.S.T. Act prevalent in the State where his business is located shall tender. The G.S.T. registration number should be quoted and G.S.T. Clearance certificate submitted up to last quarter ending before submission of Bid by tenderer with the copies of GST return/Challan, without which the Tender is liable to rejection.
 - Attested copy of G.S.T. Registration Certificates should be enclosed with tender. (ii)
- 5. Tender forms shall be filled in ink or typed: No Tender filled in pencil shall be considered. The Tenderer shall sign the Tender form at each page and at the end in token of acceptance of all the terms and conditions of the tender.
- Rate shall be written both in words and Figures: There should not be errors and/or over 6. writings. Corrections if any should be made clearly and initialled with dates. The rates should mention element of the GST separately.
- 7. All Rates quoted must F.O.R. Destination and should include all incidental charges except G.S.T. which should be shown separately in case of local supplies the rate should include all taxes etc. and no cartage or transportation charges will be paid by the University and the delivery of the goods shall be given at the premises of consignee/ F.O.R. Destination as mention in tender Document.
- Validity: Tenders shall be valid for period of 90 days from the date of opening of tenders, 8. Validity can be extended with mutual consent.

The approved bidder/supplier shall be deemed to have carefully examined and conditions, specifications, size, make and drawings of the goods to be supplied. If he has any doubts as to the meaning of any portion of this condition of the specifications drawing etc., he shall before signing the contract refer the same to the Purchase Officer and get clarifications.

The Contractor shall not assign or sublet his contract or any substantial part thereof to any 10. other agency.

4.

11. Specifications:

- (i) All article supplied shall strictly conform to the specifications/trade mark laid down in the tender form and wherever articles have been required according to specifications, those articles should conform strictly to those specifications and should bear such marks.
- (ii) The supply of articles marked with asterisk/ at serial number, shall in addition, conform strictly to the approved samples and in case of other material where there are no standard or approved samples, the supplies shall be of the very best quality and description. The decision of the Purchase Officer/Purchase Committee whether the articles supplied conform to the specifications and are in accordance with the samples, if any, shall be final and binding on the tenderers.
- (iii) Warranty/Guarantee clause: The tenderer would give guarantee/warranty that goods/stores/ articles would continue to conform to the description and quality as specified for a period of as specified in technical specification from the date of delivery of the said goods/stores/articles to be purchased and that notwithstanding the fact that the purchaser may have inspected and / or approved the said goods/ stores/articles, if during the aforesaid period, the said goods/stores/ articles be discovered not to conform to the description and quality aforesaid or have determined (and the decision of the Purchase Officer in that behalf will be final and conclusive), the purchaser will be entitled to reject the said goods/stores/articles or such portion thereof as may be discovered not to conform to the said description and quality on such rejection of goods, etc. shall apply. The tenderer shall if so called upon to do replace the goods, etc. of such portion thereof as is rejection by the Purchase Officer otherwise the tenderer shall pay such damage as may arise by reason of the breach of the condition, he contained. Nothing herein contained shall prejudice any other right of the Purchase Officer in that behalf under this contract or otherwise.
- iv) In case of machinery and equipment also, guarantee/warranty will be given as mentioned in clause (iii) above and the tenderer shall during the guarantee/warranty period replace the parts if any and remove any manufacturing defect if found during the above period so as to make machinery and equipment's operative. The tenderer shall also replace machinery and equipment in case it is found defective which cannot be put to operation due to manufacturing defect etc.
- v) In case of machinery and equipment specified by the Purchase Officer the tenderer shall be responsible for carrying out annual maintenance and repairs on the terms and conditions as may be agreed. The tenderer shall also be responsible to ensure adequate regular supply or spare parts needed for specific type of machinery and equipment whether under their annual maintenance and repairs rate contract or otherwise. In case of change of model he will give sufficient notice to the Purchase Officer who may like to purchase spare parts from them to maintain the machinery and equipment in perfect condition.

12. INSPECTION:

- a) The Purchase Officer or his duly Authorized representative shall at all reasonable time have access to the supplier's premises and shall have the power at all reasonable time to inspect and examine the materials and workmanship of the goods/equipment/ machineries during manufacturing process or afterwords as any may be decided.
- b) The tenderer shall furnish complete address of his office godown and workshop where inspection can be made together with name address of the person who is to be contacted for the purpose.
- **SAMPLES:** Tenders for articles marked within the schedule shall be set of samples of the articles tendered properly packed. Such Samples if personally will be received in the office and receipt will be given for each sample by the officer receiving the samples. Samples if sent by train, etc., should be despatched freight paid and the R/R or G/R should be sent under a separate registered cover.

- 14. Each sample shall be marked suitably either by written on the sample or on a slip or durable paper securely fastened to the sample, the name of the tenderer and serial number of the item, of which it is a sample in the schedule.
- 15. The Government shall not be responsible for any damage, wear and tear or loss during testing, examination etc. during the period these samples are retained. The sample shall be collected by the tenderer on the expiry of the stipulated period. The Government shall in no way make arrangements to return the samples. The Samples uncollected within 3 months after expiry of contract shall be forfeited by the Government and no claim for their cost etc. shall be entertained.
- 16. Samples not approved shall be collected by the unsuccessful tenderer. The Government will not be responsible for any damage, wear and tear or loss during testing, examination etc. during the period these samples are retained. The uncollected samples shall be forfeited and no claim for their cost etc. shall be entertained.
- 17. Supplies when received shall be subject to inspection to ensure which they conform to the specifications or with the approved samples. When necessary or prescribed or practical tests shall be carried out in Government Laboratories, reputed testing house like Shri Ram Testing House, New Delhi and the like and supplies will be accepted only where the articles conform to the standard of prescribed specifications as a result of such tests.
- 18. **Drawl of Samples:** In case of tests, samples shall be drawn in four sets in the presence of tenderer or his Authorized representative and properly sealed in their presence. One such set shall be given to them, one or two will be sent to the laboratories and/or testing house and the third or fourth will be retained in the office for reference and record.
- 19. **Testing Charges:** Testing charges shall be borne by the University. In case urgent testing is desired it is to be arranged by the tenderer or in case of test results to showing that supplies are not up to the prescribed standards or specifications, the testing charges shall be payable by the tenderer.

20. **REJECTION:**

- i) Articles not approved during inspection or testing shall be rejected and will have to be replaced by the tenderer at his own cost within the time fixed by the Purchase Officer.
- ii) In however, due to exigencies of university work, such replacement either in whole or in part, is not considered feasible, the Purchase Officer after giving a opportunity to the tenderer of being heard, shall for reasons to be recorded, deduct a suitable amount from the approved rates. The deduction so made shall be final.
- 21. The rejected articles shall be removed by the tenderer within 15 days of intimation of rejection, after which Purchase Officer shall not be responsible for any loss/shortage or damage and shall have the right to dispose of such articles as he thinks fit, at the tenderer's risk and on his account.
- 22. The tenderers shall be responsible for the proper packing so as to avoid damage under normal conditions of transport ft by sea, rail and road or air and delivery of the material in good condition to the consignee at destination. In the event of any loss, damage, breakage or leakage or any shortage the tenderer shall be liable to make good such loss and shortage found at the checking/inspection of the materials by the consignee. No extra cost on admissible.
- 23. The contract for the supply, can be repudiated at any time by the purchase supplies officer, if they are not made to his satisfaction after giving an opportunity to the tenderer of being heard and recording of the reasons for being repudiated.

Direct or Indirect canvassing on the part of the tenderer or his representative will be a disqualification.

DELIVERY PERIOD:

24.

25.

i) The tenderer whose tender is accepted shall arrange supplies within a period mentioned in tender notice from the date of supply orders/by as under:

S.No.	Item	Quantity	Delivery period
			30 days

- ii) **Extent of quantity:** Repeat order: If the orders are placed in excess of the quantities shown in tender notice, the tenderer shall be bound to meet the required supply. Repeat orders may also be placed on the rate and conditions given in the tender provided that the repeat orders are upto 50% of the quantity originally purchased and the period is not more than one month from the date of expiry of last supply. If the tenderer fails to do so the Purchase Officer shall be free to arrange for the balance supply by limited tender or otherwise and the extra cost incurred shall be recoverable from the bidder.
- iii) If the Purchase officer does-not purchase any of the tendered articles or purchases less than the quantity indicated in the tender form, the bidder shall not be entitled to claim any compensation.

26. Bid EARNEST MONEY

- a. Tender shall be accompanied by an Earnest Money 2% as mentioned in bid notice or as per RTPP Acts and Rules. The amount should be deposited in either of the following forms in favour of COMPTROLLER, AGRICULTURE UNIVERSITY, JODHPUR Bank Drafts/Bankers cheque of the Schedule Bank.
- b. **Refund of Earnest Money:** The Earnest Money of unsuccessful tenderer shall be refunded soon after a final acceptance of tender.
- c. **Partial Exemption from Earnest Money:** Firms which are registered with Director of Industries Rajasthan shall furnish the amount of earnest money in respect of items for which they are registered as such, subject to their furnishing registration certificate in original or photo copy or a copy thereof duly attested by self along with a competency certificate issued from the Director of Industries Rajasthan at the rate of 0.5% of the estimated value of the tender shown or as per RTPP Acts and Rules.
- d. The central Government and Government of Rajasthan undertakings need not furnish any amount of Earnest Money.
- e. The Earnest Money/Security Deposit lying with the Department/office in respect of other tenders awaiting approval or rejected or on account of contracts long completed will not be adjusted towards earnest Money/security Money for the fresh tenderers. The earnest money may however, be taken into consideration in case tenders are reinvited.
- 27. Forfeiture of Earnest Money: The Earnest Money will be forfeited in the following cases:
 - i. When tenderer withdraws or modifies the offer after opening of tender but before acceptance of tender.
 - ii. When tenderer does not execute the agreement if any, prescribed within the specified time.
 - iii. When tenderer does not deposit the Performance Security Money after the supply order is given.
 - iv. When he fails to commence the supply of the items as per supply order within the time prescribed.
 - v. When tenderer/bidder breaches any provision of code of integrity prescribed for bidders specified in the chapter VI of Rajasthan Transparency in Public Procurements Rules 2013 or RTPP Act, 2012.
- 28. (I) AGREEMENT AND PERFORMANCE SECURITY (SECURITY DEPOSIT):
 - i) Successful tenderer will have to execute an agreement on Non-Judicial Stamp of Rs. 500/in Form SR-17 within a period of 7 days of receipt of order and deposit security equal to 5% of the value of the stores or as per RTPP Acts and Rules for which tenders are accepted within 7 days from the date of dispatch on which the acceptance of the tender is communicated to him.
 - ii) Earnest money deposited at the time of tender will be adjusted towards security amount.
 - jii) No interest will be paid by the department on the security money.
 - iv) The forms of security money shall be as below:
 - a. Bank Draft/Bankers Cheque.
 - v) The Performance Security (Security Money) shall be after the expiry of the period of guarantee/warranty.

2) (i) Firms registered with the Director of Industries, Rajasthan in respect of stores for which they are registered subject to their furnishing the registration and prescribed competency certificate in original from the Director of Industries of or a Photostate copy or a copy thereof duly attested by self will be practically expected from furnishing security money and shall pay security Deposit at the rate of 1% of the estimate value of Tender.

(ii) Central Government and Government of Rajasthan's Undertakings will be exempted from furnishing security amount.

- 3) Forfeiture of security deposit: Security amount in full or part may as forfeited in the following cases:
 - (a) When any terms and conditions of the contract is breached.
 - (b) When the tenderer fails to make complete supply satisfactorily.
 - (c) Notice of responsible time will be given in case of forfeiture of security deposits. The decision of the Purchase Officer in this regard shall be final.
- 4) The expenses or competing and stamping the agreement shall be paid by the tenderer and the department shall be furnished free of charge with one executed stamped counter part of the agreement.
- 29. (i) All goods must be sent freight paid through Railways or Road transport, If goods are sent freight to pay, the freight together with departmental charges 5% of the Freight will be recovered from the suppliers' bill.

(ii) R.R. should be sent under registered cover through Bank only.

(iii) In case supply is desired to be sent by the Purchase Officer by passenger Train, the entire Railway Freight will be borne by the Department.

(iv) Remittance charges on payment made shall be borne by the tenderer.

30. INSURANCE:

(i) The goods will be delivered at the destination godown in perfect condition. The supplier, if he so desires, may insure the valuable goods against loss by theft, destruction or damage by fire, flood under exposure to whether or otherwise viz. (war, rebellion, riot etc.) The Insurance charges will be borne by the supplier and state will not be required to pay such charges, if incurred.

(ii) The articles may also be got insured at the cost of the purchaser if so desired by the purchaser. In such cases the insurance should invariably be with Life Insurance Corporation of India or its subsidiaries.

31. PAYMENTS:

- (i) Advance payment will not be made, except in rare and special case. In case of advance payment being made it will be against proof of despatch and to the extent as prescribed in financial powers by Rail/reputed goods transport companies etc. and prior inspection, if any, the balance will be paid on receipt of the consignment in good condition with the certificate to that effect endorsed on the inspection note given to the tenderer.
- (ii) Unless otherwise agreed between the parties payment for the delivery of the stores will be made on submission of bill in the proper from by the tenderer to the Purchase Officer in accordance with G.F.&A.R. all remittance charges will be borne by the tenderers.
- (iii) In case of disputed items, 10 to 25% of the amount shall be held and will be paid on settlement of the dispute.
- (iv) Payment in case of those goods which need testing shall be made only when such tests have been carried out, test results received conforming to the prescribed specifications.
- 32. (i) The time specified for delivery in the tender from shall be deemed to be essence of the contract and the successful tenderer shall arrange supplies within the period on receipt of the firm order from the Purchase Officer.
 - (ii) Liquidated Damages: In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentage of value of stores which the tenderer has failed to supply:
 - 1. A. Delay up to one fourth period of the prescribed delivery period- 2.50%B. Delay exceeding one fourth but not exceeding half of the prescribed period- 5%

Page 11 of 36

C. Delay exceeding half but not exceeding three fourth of the prescribed period - 7.50% D. Delay exceeding three fourth of the prescribed period. - 10%

- 2. Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- 3. The maximum number of liquidated damages shall be 10%
- 4. If the supplier requires an extension of the time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority which has placed the supply-order for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- 5. Delivery period may be extended with or without liquidated damage if the delay in the supply of goods is on account of hindrance beyond the control of the tenderer.
- **33. RECOVERIES:** Recoveries of liquidates damages, short supply, breakage, rejected articles shall ordinarily be made from bills. Amount may also be withheld to the extent of short supply, breakages, and rejected articles and in ease of failure in satisfactory replacement by the suppliers along with amount liquidated damages shall be recovered from his dues and security deposit available with the Department. In case recovery is not possible recourse will be taken under Rajasthan PDR Act or any other law in force.
- 34. Tenderers must make their own arrangement to obtain import license if necessary.
- 35. If tenderer imposes conditions, which are in addition to or conflict with the conditions mentioned herein, his tender is liable to summarily rejection. In any case none of such conditions will be deemed to have been accepted unless specifically mentioned in the letter of acceptance of tender issued by the Purchase Officer.
- 36. The Purchase Officer reserves the right to accept any tender not necessarily the lowest, reject any tender without assigning any reasons and accept tender for all or any one or more articles for which tender has been given or distribute items of stores to more than one firm/supplier.
- 37. The tenderer shall furnish the following documents at the time of execution of agreement:
 - i) Attested copy of partnership deed in case of Partnership Firms.
 - ii) Registration number and year of registration in case of Partnership Firm is registered with Register of Firms.
 - iii) Address of Residence and Office, Telephone Number in case of Sole Proprietorship.
 - iv) Registration issued by the Registrar of Companies in case of a Company.
- 38. If any disputes arise out of contract with regards to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to by the parties to the Head of the Department (Comptroller, Agriculture University, Jodhpur) who will appoint his senior most officer as the Sole Arbitrator of the dispute who will be related to this contract and whose decision shall be final.
- 39. All legal proceedings, if necessary, arise to university any of the parties (Government or Contractor) shall have to be lodged in courts situated at **Jodhpur Only** and not elsewhere.
- 40. The Rate must be quoted including all accessories required for installation of furniture.
- 41. In case the items are free from custom duty the tenderer should mention the clause under which the items are free from custom duty. The proof of this should be attached.
- 42. The imported items in ready stock with the Indian Agent could be purchase in Indian Currency provided the certificate produced by the Indian agent to this effect that the cost quoted by them does not include customs duty and is competitive.
- 43. Complete latest literature along with the catalogue and technical data must be enclosed with the tender to facilitate the technical expert in inspection of items.
 44. Performance report of the equipment by the institution where it is already in use is to be
 - Performance report of the equipment by the institution where it is already in use is to be attached with the tender form. If it is not practicable, the tenderer should enclose a list of institution where equipment has been supplied.
 - Notwithstanding anything contained herein above the undersigned reserves the right to alter or modify any of the above condition in any particular specific case for special reason in

Page 12 of 36

45

accordance with special circumstances/conditions of the case mutually or otherwise in public interest of service.

46. The prices charged for the stores supplied under the contract by the tenderer shall in no event exceed the lowest price at which the tenderer sells the stores of identical description to any Person/Organization including the purchase of any Department of the Central Government or any Department of State Govt. or any statutory undertaking of Central or State Govt. as the case may be during the period till performance of all supply orders placed during the currency of the rate contract is completed.

47 Undertaking from the Bidders:

An undertaking will be submitted by the Bidder/firm/company/vendor that in the past they have never been banned/debarred for doing business dealings with Ministry of Defense/Govt. of India/ any other Govt. organization and that there is no enquiry going on by CBI/ED/any other Govt. agency against them. (As per Annexure-5)

The bidder must quote all the items as mentioned in the bid. Partial quote will not be accepted.

Acceptance

I/We have carefully read and understood above terms and conditions (from 1 to 48) of the tender and abide by them.

I/We have also certified that all the information and catalogues etc. of the tendered item has been enclosed and no information has been held back by us.

SIGNATURE OF THE BIDDER WITH SEAL AND DESIGNATION

48

SPECIAL TERMS AND CONDITIONS

TECHNICAL BID: - To be uploaded on E-PROC

It should contain:

- a. Scanned copies of DD's of Bid fee, Bid processing fee & Bid Earnest Money (EMD) and it is required to submit the same in original in a sealed envelope along with NJS ₹ 50 of Ann -5 at the Comptroller Office, Agriculture University, Jodhpur.
- b. Scanned copies of Bid document form along with Conditions of tender (SR-16) & Special Terms & Conditions duly signed and sealed.
- c. GST clearance certificate (as per condition No. 4 of SR-16), PAN, GST registration certificate and GST declaration (as per Annexure 2)
- d. All the technical specification, certificates required and details of the tendered item and technical specification in tabular form should be submitted as indicated at **Annexure 3**.
- e. Price charging certificate as per (Annexure 4)
- f. Scanned copy of Non-Blacklisting of Bidder on Non-Judicial Stamp Paper. (Annexure-5)
- g. Bidder should be authorized by the Original Equipment Manufacturer (OEM) for participation in the bid.
- h. Satisfactory performance certificate of Govt. Org./Autonomous body for whom the Bidder has undertaken such work during last three years.
- i. Declaration by the tenderer (SR-11).
- j. Annexure A, B, C & D duly signed and seal.
- k. Bidder turnover certificate of FY 2020-21, 2021-22 & 2022-23 issued by CA.
- 1. OEM turnover certificate of FY 2020-21, 2021-22 & 2022-23 issued by CA.
- m. Any other documents which the bidder wants to submit and/ or any document as per tender.
- n. The Firms to submit the technical specification 'In Tabular form by incorporating all Individual technical specification by mentioning Yes/No and Positive or Negative Deviation, if any, with complete details, Incomplete Technical Bids will not be considered all. The firms to upload brochures/leaflet/literature.

In absence of the above or wrongly placing the required documents in any other envelope or not mentioning the desired information at the specified place/column, the bid will not be considered and will be rejected.

FINANCIAL BID: -



The Financial Bid is to be submitted online (e-proc) as desired in the attached financial documents/BOQ:

1. Price bid / BOQ Details of Price quoted of the material offered in Price bid /BOQ/ all item price to be quoted by bidder, partially quoted offer will not be considered.

I/We have carefully read and understood above special terms and conditions of the tender and abide by them.

"DECLARATION BY THE TENDER" (S.R. 11)

I/We declare that I am/ we are bona-fide Manufacture/ Whole Sellers/Sole Distributors/Authorized Dealer/dealers/Sole Selling/Marketing Agent in the Goods/Stores/equipment's for which I/We have Tendered. (STRIKE OFF WHICHEVER IS NOT APPLICABLE).

If, this Declarations is found by you incorrect then without prejudice to any other action that may be taken, My/Our Security may be forfeited in Full and the Tender, if any to the extent accepted may be cancelled.

w

" G.S.T. DECLARATION "

I, certify that the goods on which G.S.T. has been charged have not exempted under the G.S.T. Act, or the Rules made there under and the amount charged on account of G.S.T. is not more than what is payable under the current provisions of the G.S.T. act. or the Rules made there under.

		Certify	that	we	M/s	
		·····				are registered as
1	Dealer	r in the				(State or Union Territory) under
1º	G.S.T	. Registrat	ion No			

2

Annexure-3

Bid Notice No. 04/2024-25

Technical Compliance Statement for Furnitures

All the columns of this sheet should be filled compulsorily by the bidder. Merely mentioning "to refer catalogue or brochure or literature" will not be entertained. The technical Compliance should compulsorily be in this sheet only, otherwise it should be assumed that bidder is not able to offer technically desired product.

The bidder shall be fully responsible for the information provided in this sheet. Any false statement shall render the breach of basic foundation of the contract.

Brochure of the quoted model must be enclosed. All items to be quoted by the bidder, any of partially quoted items will not be considered.

5.4.3.1.

Providing and placing of King Size Bed shall have an overall size of Dimensions (in cm) W x H x D (cm) 187.5 x 108.2 x 207.1. Storage Mechanism: - Pull-Out Storage, Finish Color :-Brown, Net Weight (kg) :- 211, Primary Material:- Engineered Wood, Primary Material Subtype:- Particle Board Storage Included:- YES, Style:- Contemporary & Modern. OEM Shall be member of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 450000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent)
Providing and placing of Aurthomatic king size mattress Designed after intensive research to keep all orthopaedic problems at bay. Perfect for sound sleep without stiffness or muscular discomfort. Usable on both sides Net Weight (kg) 43.8 Sales Package-1 Mattress Finish Color-White Matt. Dimensions L x W x T (cm)- 198.1 x 182.9 x 12.7 Layers Single Secondary Material-PU Foam Primary Material- Bonded Foam Mattress Size-King Delivery Condition- Pre-assembled Upholstery Material- Knitted Fabric. OEM Shall be member of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)

Page 17 of 36

3 PIIow Proving and propriest relation provised shared points were accordinated in the constraint sector according and provised relation (crosoft & consoft & contradit is chosoft & contradit		1	-	
Pillow Proving Start P pactions Proving Start P pack of durable, lightweight & wrinked packing Start P pack of the Pillow durable, lightweight & wrinked resistant P eached polyester fabric forsoft & comfortable feel.670 grams eco-friendly PET fiber ensures even support and comfort. Self piping for a smooth & uncomplicated look. CMN Shall be manber of fields and shall have (SD 9001: 2015; SO 14000: 2016; SO 14000: 2015; SO 14000: 2015; SO 14000: 2015; SO 14000: 2016; So 14000: 2016; Cald Shall be manber of fields and shall have (SD 9001: 2015; SO 14000: 2015; SO 14000: 2015; SO 14000: 2016; So 14000: 2015; SO 24000: 2016; So 14000: 2015; So 24000: 2015;				
Pillow Bed Side Table Media Unit Study Table	00	7	ъ	4
	Providing and placing of Soft ployester fabric pillow Weight per pillow – 670 grams Comes in semi-vaccumized packing Size - 43 X 69cm/17"X 27", 100% soft polyester fabric keeps the pillow durable, lightweight & wrinkle resistant Peached polyester fabric forsoft & comfortable feel.670 grams eco-friendly PET fiber ensures even support and comfort. Self piping for a smooth & uncomplicated look. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Havworth and equivalent.)	Providing and placing of Bed side Table Overall Size- Depth X Width X Height - 461.0 mm X 460.0 mm X 516.5 mm Material Body panels of Bed side table are made of 18 mm thick Preiaminated Particle Board of E1 grade _All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Drower front is made of 18 mm thick Membrane pressed MDF of Et grade. Hardwore- The nigh quality hardware used like Roller slides, Hinges, minifix, dowels is of make Hettich. Construction: - Knock Down construction. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)	Providing and placing of Medea Unit Overall Size : Width : 180.4cm Depth : 49.5cm Height : 50.4cmMaterial :All carcass panel are made of 18 mm prelaminated particle board with edge banding 1.5 mm thickness. Drawer bottom is made of .9 mm thick prelaminated particle board. Drawer front is made of 18 mm thick PU painted MDF. Middle doors are made of 4mm thick toughened glass with PU paint in black. All drawers are fitted with knobs. Legs: Rubber wood Hardware: Hettich. Construction: Knock down .Finish : All 18 mm prelaminated particle board panels are Noce Versaillies with walnut edge band. PU lamination is high gloss in ecru shade. Packets: 2 nos. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)	Providing and placing of Study (Work) Table Dimensions - 1200mmW x 600mmD x 715mmHt. Most Panels are made from 18mm thick E1 grade Prelaminated Particle Boards, while Drawer Bottom is 9mm thick with all panels having 0.8 mm thick edge banding. Functional Work Desk with One Utility Drawer. Additional small shelf below worktop. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)
w 4 rv o	Pillow	Bed Side Table	Media Unit	Study Table
	m	4	CJ	٩

Page 18 of 36

4	÷.	12
Providing, supplying and placing of Mid Back Chair. SEAT ASSEMBLY: The seat is made up of 1.5±0.1 cm thick hot- pressed plywood upholstered with fabric and moulded polyurethane foam. SEAT SIZE: 51.8cm (W) x 49.7cm (D) BACK ASSEMBLY: The Back is injection moulded in glass filled Polypropylene which is 2 upholstered with Mesh fabric. The back consists of adjustable Lumbar support made of injection moulded Polypropylene having an adjustment of 5.0 10.1 cm. BACK SIZE: 47.9 cm(W) x 66.9 cm (H) HIGH RESILENCE (HR) POLYURETHANE FOAM: The HR polyurethane seat foam is moulded with density 45+/-2 kg/m and hardness 14 ± 2 kgf as per IS:7888 for 25% compression. ARMRESTS (ADJUSTABLE): The height adjustable armrest is made of Polypropylene and can be adjusted to 6.010.1cm height it also has swivel and To and Fro adjustment with moulded PU armtop ACTIVE BIO- SYNCHRO MECHANISM: The adjustable tilting mechanism is designed with the following features 360° revolving type Front-pivot for tilt with feet resting on ground & continuous lumber support ensuring more comfort Till tension adjustment can be operated in seating position 5 position Till timiter giving option of variable sit angle to the chair Seat/back tilting ratio of 1.2 The mechanism is designed with the following features 360° revolving type Front-pivot for tilt with feet resting on ground & continuous lumber support ensuring more comfort Till tension adjustment can be operated in seating position 5 position Till timiter giving option of variable sit angle to the chair Seat/back tilting ratio of 1.2 The mechanism housing is made up of HPDC Aluminium & Black Row adjustment stroke of 10.0±0.3cm. PEDESTAL ASSEMBLY: The pedestal is injection moulded in black Polyamide her with castors). TWIN WHEEL CASTORS: The twin wheel castors are Injection moulded in black Polyamide having 6.01.0.1cm wheel Diameter. WIDTH (W) - 76.0cm DEPTH (D) - 76.0cm HEIGHT - 43.5 - 54.0cm. 0EM Shall be member of IGBC and shall have ISO 9001. 2015 and ISO 50001. 2018 cartification. All ISO certifica	Providing and placing of 12 Seater Dining Table: Length: 300 cm Width : 90cm Height :75.7cm TABLE METERIALS & SIZE :TOP: 19mm MDF board with okume veneer, Color : Brown Black, LEGS: 720 x 103 x 20 solid wood , Color : Brown Black It is designed to easily fit in small spaces, so changing your interior every few months is now a much easier task. •The rectangular shape and brown shade contribute to its sleek look. • With solid wood legs and MDF used in the table top, it can bear the weight of large vases and heavy dinner sets with grace. OEM Shall be member of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)	DINNING CHAIR: Providing and placing of dining chair without Armrest chair with leatherite upholstry with 35 density Foam Approx. Size of chair: Length: 43cm Width : 56.5cm Height : 93.3cm Seating Height : 48cm. Thread:NylonN , LEATHER/PVC/FABRIC:PVC MONTERRY , FRAME MATERIAL: solid wood W 42.5 D 55.5 H 90.3 cm . OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)
Study Chair	12-Seater Dining Table	Dining Chair
	8	ŋ

Page 19 of 36

Page 20 of 36

are of Understructure cross sections 22x64mm,34x64mm and 16x35mm without having major knots & defects on Complete understructure of Armrest is made by gluing, nailing & stapling. Foam : Foaming of Armrest is done with colour schemes: 1. CHARCOAL 2. PURPLE HAZE 6. Legs : Polypropylene leg (with 20% talc for better filled with M8 steel stud in black color. 7. Armrest (Normal Amrest LH & RH & wing Armrest) Understructure : Understructure of armrest is made up of combination of pinewood members, 12mm thick Plywood, 3mm thick MDF. Pinewood are panels are used to make shutter flaps for console armrest. Soft closing hinges are provided to these shutter flaps. defects on the surface. Foam: Backrest is made of PU foam with density 60 kg/m3. Upholstery cover : Upholstery Upholstery cover of seat is made of woven fabric. 2. Backrest : (1 Seater - 3 Nos., 3 Seater - 3 Nos.and Corner - 2 woven 30 GSm bag. This bag is placed in main upholstery cover. 10. Assembly: Modular SKUs like 1str, 2str, 3str, he surface. Complete understructure of Seat is made by gluing, nailing & stapling. Non-woven fabric of 100GSM s stapled on the top surface after attaching Zig-Zag Spring to cover the structure. Seat support tube made up of 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Providing and placing of U Shaped Sofa:(1 Seater - 3 Nos., 3 Seater - 3 Nos. and Corner - 2 Nos.) Under structure and HDPE sheet. Pinewood are of cross sections 16x35mm, 16x74mm, 25X25mm without having major knots & Under structure of seat is made up of combination of pinewood members and 12mm thick Plywood. Pinewood Cushion is made up of loose recron filled in White non-woven 30 GSM bag. This stitched non-woven bag is kept inside the upholstery cover of cushion pillow. Upholstery cover : Upholstery cover of cushion is made of woven DEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: structure & nut-bolt provision on backrest. Normal armrest (LH/RH) & Console armrest(LH/RH) can be fitted to Vos.) Understructure: Understructure is made up of combination of pinewood members, 12mm THK -Plywood 1S,2S,3S and Wing chair is a standalone unit. Its seat back & armrest are fitted together using M8 bolts & nuts. abric. The cover is in dual tone , bottom half made with Fabric-1 (woven finish fabric) & upper half with Fabricseating surface is made by using pocket spring of wire dia 2mm which is surrounded by PU foam of density 28 2(velvet finish fabric). 5. Upholstery :Complete sofa is uplholstered with woven fabric which has the following density 28kg/m3 and 60kg/m³. 9. Bolster: Bolster is a small loose cushion filled with loose recron in white non-(g/m3. A top layer of supersoft PU foam with density 32 kg/m3 is used to provide softness. Upholstery cover : of cross sections 16x79mm without having major knots & defects on the surface. Complete understructure of cover of backrest is made of woven fabric. 4.Cushion :(1 Seater - 3 Nos., 3 Seater - 3 Nos.and Corner - 2 Nos.) steel is added in the seat structure of 2-Seater,3 Seater and Chaise for additional strength & support. Foam : Chaise, Corner can be fitted with each other with the help of Steel connecting brackets provided on the seat Armrest is made by gluing, nailing & stapling. Foam : Foaming of Armrest is done with density 28kg/m3 and 60kg/m³. 8. Console Armest : Understructure : Understructure of armrest is made up of 12mm thick ply.PLT 1str,2str,3str & chaise on any of the sides or both the sides with the help of M8 nut & bolt. Other SKUs like Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.) U Shape Sofa as per Layout

10

-

1 shutter flaps for console armrest. Soft closing hinges are provided to these shutter flaps. Complete understructure provision on backrest. Normal armrest (LH/RH) & Console armrest (LH/RH) can be fitted to 1str,2str,3str & chaise cover of backrest is made of woven fabric. 4.Cushion :(3 Seater - 5 Nos.and Corner - 1 No.) Cushion is made up of dual tone , bottom half made with Fabric-1(woven finish fabric) & upper half with Fabric-2(velvet finish fabric). 5. Jp of combination of pinewood members, 12mm thick Plywood, 3mm thick MDF. Pinewood are of cross sections 60kg/m³. 9. Bolster: Bolster is a small loose cushion filled with loose recron in white non-woven 30 GSm bag. This on any of the sides or both the sides with the help of M8 nut & bolt. Other SKUs like 15,25,35 and Wing chair is a defects on the surface. Foam: Backrest is made of PU foam with density 60 kg/m3. Upholstery cover : Upholstery standalone unit. Its seat back & armrest are fitted together using M8 bolts & nuts. OEM Shall be mamber of IGBC .6x79mm without having major knots & defects on the surface. Complete understructure of Armrest is made by Armest : Understructure : Understructure of armrest is made up of 12mm thick ply.PLT panels are used to make CHARCOAL 2. PURPLE HAZE 6. Legs: Polypropylene leg (with 20% talc for better filled with M8 steel stud in black color. 7. Armrest (Normal Amrest LH & RH & wing Armrest) Understructure : Understructure of armrest is made Providing and placing of L Shaped Sofa:(3 Seater - 5 Nos.and Corner - 1 No.) Understructure : Understructure of Jnderstructure cross sections 22x64mm, 34x64mm and 16x35mm without having major knots & defects on the surface. Complete understructure of Seat is made by gluing, nailing & stapling. Non-woven fabric of 100GSM is cover of cushion pillow. Upholstery cover : Upholstery cover of cushion is made of woven fabric. The cover is in (g/m3. A top layer of supersoft PU foam with density 32 kg/m3 is used to provide softness. Upholstery cover : oose recron filled in White non-woven 30 GSM bag. This stitched non-woven bag is kept inside the upholstery of Armrest is made by gluing, nailing & stapling. Foam : Foaming of Armrest is done with density 28kg/m3 and seating surface is made by using pocket spring of wire dia 2mm which is surrounded by PU foam of density 28 bag is placed in main upholstery cover. 10. Assembly: Modular SKUs like 1str, 2str, 3str, Chaise, Corner can be stapled on the top surface after attaching Zig-Zag spring to cover the structure. Seat support tube made up of Understructure: Understructure is made up of combination of pinewood members, 12mm THK Plywood and steel is added in the seat structure of 2 Seater, 3 Seater and Chaise for additional strength & support. Foam : gluing, nailing & stapling. Foam: Foaming of Armrest is done with density 28kg/m3 and 60kg/m³. 8. Console certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, 4DPE sheet. Pinewood are of cross sections 16x35mm, 16x74mm, 25X25mm without having major knots & fitted with each other with the help of Steel connecting brackets provided on the seat structure & nut-bolt and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO Upholstery: Complete sofa is uplholstered with woven fabric which has the following colour schemes: 1 Jpholstery cover of seat is made of woven fabric. 2. Backrest : (3 Seater - 5 Nos.and Corner - 1 No.) seat is made up of combination of pinewood members and 12mm thick Plywood. Pinewood are of ⁻eatherlite, Steelcase, Hayworth and equivalent.) L Shape Sofa as per Layout 11

Page 21 of 36

ght-45cm t nt) : Treated g Screw. * Bush for Leg 2015, ISO d by NABCB d equivalent.)	ght-45cm t (it) : Treated g Screw. * Bush for Leg 2015, ISO d by NABCB d equivalent.)	r plywood top dth : 118cm 40X40 Bottom 2015, ISO 8 d by NABCB th and
Providing, supplying and placing of sofa 3 str-width-181cm X depth- 88cm X height-91cm X seat height-45cm FRAME MATERIAL (TROPICAL WOOD / PINE WOOD) RUBBER WOOD): Pine Wood Moisture Content (Recommended 12 – 18 %) : 12% Anti – Termite Treatment (Recommended Borex Powder Treatment) : Treated Wood. Leg Material-* Fixing of Leg : (Self Tapping Screw / Insert with metric threading) :- Self Taping Screw. * Material of leg : (Plastic / Insert Moulding / Wooden / MS + Chrome Plating / SS) :- WOODEN LEG. * Bush for Leg bottom: (PVC bush / Felt Pad) :- PVC Bush. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Featherlite, Steelcase, Hayworth and equivalent.)	Providing, supplying and placing of sofa 2 str-width-132cm X depth- 88cm X height-91cm X seat height-45cm FRAME MATERIAL (TROPICAL WOOD / PINE WOOD/ RUBBER WOOD): Pine Wood Moisture Content (Recommended 12 – 18 %) : 12% Anti – Tremite Treatment (Recommended Borex Powder Treatment) : Treated Wood. Leg Material-* Fixing of Leg : (Self Tapping Screw / Insert with metric threading) :- Self Taping Screw. * Material of leg : (Plastic / Insert Moulding / Wooden / MS + Chrome Plating / SS) :- WOODEN LEG. * Bush for Leg bottom : (PVC bush / Felt Pad) :- PVC Bush. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Featherlite, Steelcase, Hayworth and equivalent.)	Providing and placing of Sheesham Wood Coffee Table: • Rubber wood under frame. • High density plywood top 24 mm thickness. • Curved legs with ethnic design. • Load bearing capacity : 50 Kg Overall Size : Width : 118cm Depth : 60cm Height : 45cmTABLE METERIALS & SIZE :TOP:Sheesham 18 mm LEGS: 80X80 Top Side 40X40 Bottom Side Support 45x25mm & 8 Pcs Bolt & Nut. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 450000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Vipro, Featherlite, Steelcase, Hayworth and equivalent.)
3-Seater Sofa	2-Seater Sofa	Coffee Table
12	. 13	14

Page 22 of 36

1 1 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on Providing and placing of Green Guard Certified Table 1650 x 1950 x 750 Primary Work Surface Made of 25mm thick membrane pressed on to top. Modesty Panel Made of 25mm thick MDF one side pre-laminate board confirming to S-14587:1998 with 0.4mm PVC membrane pressed on to top. Under structure Made of 25mm Thick Pre-laminated thick PVC lipping. Integrated Pedestal Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Soft EXECUTIVE CHAIRS - Black Leatherette High back chair with head rest — SEAT ASSEMBLY: the seat should be made slides. Drawer extension is 325 MM. Drawers have a soft closing & anti slam mechanism. Handles are provided for wo-part assembly upholstered with mesh fabric should be made up of back outer injection moulded in glass filled polyurethane foam for seat should be of density = 55z3 kg/m3. FOUR -WAY ADJUSTABLE ARMRESTS: It should be ADJUSTMENT: The class -4 pneumatic height adjustment has stroke of 9. 5z0.Scm. OEM Shall be member of IGBC made of glass filled Polyamide arm structure with PU arm top and height adjustment of 9. 0z0.Scm. MECHANISM: position. The headrest 7 should be made up of injection moulded in glass filled polyamide, foam and upholstered Polyamide and back inner injection moulded in glass filled Polypropylene. The back consists of adjustable Lumbar up of 1.2 z 0.1 cm thick ply upholstered with fabric. SEAT SIZE: 48.0cm (\backslash/V]*49.0cm (D). BACK ASSEMBLY: the closing access flap with in-build power box are provided on work surface for wire management Secondary Work win board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Drawer fronts made of to top Pedestal construction is BOX-BOX-FILE type which Uses powder coated 400 MIM long metal Panel Drawer the mechanism should be designed with the following features: 360 -degree revolving type, synchro - tilt, single ease of opening. Pedestals are provided with lock for security. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be Surface Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC support made of injection moulded Polyoxymethylene (POM) which should be upholstered with foam. The and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO with fabric. It has an adjustment of 5. 0z0.Scm & it can be retrofit to AVID chair back. PNEUMATIC HEIGHT certificates should be issued by NABCB authorised agency. ssued by NABCB authorised agency. **TBL 1650 LH/RH RU** High Back Chair 1200 PDL 15 16

Page 23 of 36

m	-
Providing and placing of Green Guard, Green Pro Certified Chair. SEAT ASSEMBLY: The Cushioned seat should be made of Injection moulded Plastic outer & inner. Plastic Inner should be upholstered with leatherette and moulded High Resilience (HR) Polyurethane foam of Density 45±2 kg/m3, and hardness load 16 ± 2 kgf as per IS:7888 for 25% compression. *Seat SIZE: 47.0 cm. (W) x 48.0 cm. (D) BACK ASSEMBLY: The Cushioned back should be made of PU Foam with insitu molded MS E.R.W Round Tube of size 1.9±0.03cm x 0.16 ±0.0128cm. It upholstered with Leatherette. BACK SIZE: 47.7 cm. (W) x 60.1 cm. (D) Visitor TUBULAR FRAME: The tubular frame should be connected to frame through chrome plated high pressure die case connector piece Overall Dimensions of Chair Seat Height - 44.8cm Height -98.2cm. Width & Depth of Chair as measured from base - Width-60.9 cm and Depth-64.2 cm OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. (Acceptable Make: Godrej, Herman Miller, Featherlite, Steelcase, Hayworth and equivalent.)	Supplying of table as per specification: Size : 1500 x 750 x 743mm, Top Thickness 18mm. § Product specs: (A) Understructure: § The understructure is in prelam panels, made with PLT boards. § 2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colors. § Modesty and back panels, made with 18mm PLT boards. § The Pedestals/Storages are fitted with necessary Locks B) PLT Board Tops (Straight Edges): § Tops for Junior1, Junior2, and Middle desk with ERU are of 18mm thickness. § Made of 18mm thick PLT board with 2mm Edge banding. § Wenge and Savannah Maple PLT board used for making Tops. C) PVC membrane Tops (with profiles): § Tops for senior main and back unit desk are of PVC membrane pressed. § Made of 25mm thick MDF one side laminate board with 0.4mm PVC membrane pressed on to tops. § The top has Duck nose and half round profiles edges. § The top is made in only one finish: European Ash. OEM Shall be member of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller, Wipro, Steelcase, Haworth and equivalent.)
Visitor Chair	Main Desk 2 Size: 1500 x 750 x 743mm
17	18

Page 24 of 36

	5
Supplying of High back revolving net chair: Seat assembly is made up of 1.2+/-0.1cm thick hot-pressed plywood measured as per QA method described in OCP-QLTA-P14-18, Upholstered with fabric upholstery cover and measured as per QA method described in OCP-QLTA-P14-18, Upholstered with fabric upholstery cover and moulded polyurethane foam. Seat size: 47.0cm x 64.5cm Back assembly is made of powder coated (DFT 40-60 microns) tubular frame of \emptyset 2.54+/-0.03cm x 0.2+/-0.016cm thk MS ERW tube designed with contoured lumber support for extra comfort. The back is upholstered using net fabric with high tenacity yarn. Back size: 46.5 x 74.5cm The HR Polyurethane foam is moulded with density-45+/- 2kg/m3 and Hardness load 16+/- 2 kgf as per IS. 7888 for 25% compression. The one-piece armrests are injection moulded from black co-polymer polypropylene. The mechanism is designed with the following feature: 1) 360 ^o revolving type. 2) 17 ^o +/-2 ^o maximum tilt on pivot at tenter 3) Upright position locking. 4) Tilt tension adjustment. The pneumatic height adjustment has an adjustment stroke of 12.0+/-0.3cm. The below is 3 piece telescopic type and injection moulded in black polypropylene. The pedestal is injection moulded in black 33% glass-filled Nylon-66 and fitted with 5 nos. twin wheel caster. The pedestal is injection moulded in black 33% glass-filled Nylon-65 and fitted with 5 nos. twin wheel caster. The pedestal is injection moulded in black 33% glass-filled Nylon-65 and fitted with 5 nos. twin wheel caster. The pedestal is injection moulded in black 33% glass-filled Nylon-65 and fitted with 5 nos. twin wheel caster. The pedestal is injection moulded in black 33% glass-filled Nylon-65 and fitted with 5 nos. twin wheel caster. The pedestal is 66.3+/-0.5cm (76.3+/-1.0cm with caster) The twins Wheel Caster are injection moulded in black 30001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Cartification. All ISO cartificates should be issued by NABCB authorised agency. (Acceptable Make: Godrej, Herman Miller,	Providing and placing of Green Gaurd, Green Pro Certified Chair. The seat assembly is made up of 1.2 +0.1cm. thick hot-pressed plywood measured as per QA method described in OCP-QLTA-P14-18, upholstered with fabric upholstery covers and moulded Polyurethane foam. * SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D) The back asembly is made of powder coated (DFT 40-60 microns) tubular frame of B 2.54 +0.03cm. x 0.2 +0.016cm.thk. MS ERW tube designed with contoured lumbar support for extra comfort. The back is upholstered using Net fabric with high tenacity yarn. BACK SIZE 46.5 cm. (W) x 60.5cm. (H) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam is moulded with density =45+/-2 kg/m° and hardness load 16 + 2 kgf as per IS:7888 for 25% compression. The one-piece armrests are injection moulded from black Co-polymer Polypropylene. The powder coated (DFT 40-60 microns) tubular frame is cantilever type & made of B 2.54 +0.03cm. x 0.2 +0.016cm.thk. MS. ER.W. Tube. OEM Shall be mamber of IGBC and shall have ISO 9001: 2015, ISO 45000: 2015 and ISO 50001: 2018 Certification. All ISO certificates should be issued by NABCB authorised agency.
High Back Chair	Visitor Chair
19	20

Page 25 of 36

The bidder should provide the authentic document for the use of raw material MR grade Plywood and CRCA as per IS 513 D grade for manufacturing of equipment mentioned in Bid document		ough NABL approved lab is required.	The finalized supplier may be asked to provide one finished sample item of each category, within three days of placing the supply order. The quality of sample items must be verified by the technical specification committee and supply of the ordered items should be proceeded only on submission of satisfactory report by the committee.	invite the committee for quality verification of unfinished items during the process of	Bidder should produce certificates from CFTIs or any Govt./Semi Govt./ Department/Autonomous Bodies for providing satisfactory furniture and service (Certificates from Head of departments of CFTIs or any Govt./Semi Govt./ Department/Autonomous Bodies supplied to).	SIGNATURE OF THE BIDDER WITH SEAL AND DESIGNATION		Page 26 of 36
Other Terms and Conditions 1. The bidder should provide the authentic document for the equipment mentioned in Bid document	AIOTA Certification Green guard/Green Pro (from CII) BIFMA membershin of Bidder or OFM	ISO as per specifications Testing authentication of both wooden and Iron equipment through NABL approved lab is required. IGBC membership of OEM	The finalized supplier may be asked to provide one finished The quality of sample items must be verified by the tech submission of satisfactory report by the committee.					
01. 1.	0. w. 4	.5. 7.	.9	10.	12.			

PRICE CHARGING CERTIFICATE

I/We hereby certify that the rate offered in Financial Bid are reasonable and justified and we are not marketing lower rates to other department on condition of the tender and contract.

SIGNATURE OF THE BIDDER WITH SEAL AND DESIGNATION

FORMAT FOR NON-BLACKLISTING OF SUPPLIER

Manufacturer/partner/Authorized Distributor/Agent (strike out I/ We which is not applicable) of (Supplier) do hereby declare and solemnly affirm that the individual/firm/company is: a) not be insolvent, in receivership, bankrupt or being wound up, not have its affairs administered by a court or a judicial officer, not have its business activities suspended and must not be the subject of legal proceedings for any of the foregoing reasons; b) not have, and their directors and officers not have, been convicted of any criminal offence related to their professional conduct or the making of false statements or misrepresentations as to their qualifications to enter into a procurement/bid contract within a period of three years preceding the commencement of the procurement/bidding process, or not have been otherwise disqualified pursuant to debarment proceedings; c) not have a conflict of interest in the procurement/bid in question as specified in the bidding document. d) comply with the code of integrity as specified in the bidding document. e) not have been black-listed by any government or any government statutory agency. f) not sublet the contract, if awarded. g) have submitted only one bid only.

Deponent

Address ____

I/ We hereby solemnly declare and affirm that the above declaration is true and correct to the best of my knowledge and belief. No part of it is false and nothing has been concealed.

Deponent

Dated:

(Note: To be furnished on non-judicial stamp paper duly attested by the Notary Public)

An affidavit to that effect on Non-Judicial stamp paper of Rs.50/- duly notarized must be enclosed with the technical bid in prescribed format. The proforma of the affidavit is attached with the tender as Annexure - 5.

Authorization certificate to be submitted by Principal manufacturer

The furniture is guaranteed for the period as mentioned in tender and during the guarantee period the authorized Distributor/Dealer shall replace the parts or rectify any manufacturing defect found in the furniture. They are also responsible for after sale-service during the life time of furniture. In case of change of authorized Distributor/ Dealer the new authorized Distributor/ Dealer will be responsible for guarantee and after sale- service. In case of failure, we will be responsible for providing after sale service.

Note: - *This authorization certificate should be typed & signed with Contract person Telephone Number, Mobile Number, Email Address by the principal manufacturer on his original letter pad and scanned copy of which must be uploaded with tender otherwise concerned item of the tender will not be considered for technical evaluation.*

Signature of Principal Manufacturer with rubber stamp

Annexure A: Compliance With the code of integrity and No Conflict of Interest Any person participating in a procurement process shall-

- a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or otherwise influence the Procurement process.
- b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- c) Not indulge in any collusion, Bid ragging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process.
- d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process.
- e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- f) not obstruct any investigation or audit of a procurement process.
- g) Disclose conflict of interest, if any: and
- h) disclose any previous transgressions with any entity in India or any other country during the last three year or any disbarment by any other procuring entity.

Conflict of Interest: -

The bidder participating in a bidding process must not have a conflict of interest.

A conflict of interest is considered to be situation in which a party has interests that could improperly influence that party's performance of, official duties or responsibilities, contractual obligations or compliance with applicable laws and regulations.

- i) A bidder may be considered to be in conflict of Interest with one or more parties in a bidding process if including but not limited to:
 - a) Have controlling partners/shareholders in common or
 - b) receive or have received any direct or indirect subsidy from any of them or
 - c) have the same legal representative for purpose of the bid; or
 - d) have a relationship with each other, directly or through common third parties, that put them in a position to have a access to information about or influence the decisions of the procuring Entity regarding the bidding process or
 - e) The bidder participates in more than one bid in a bidding process-participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved However this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or

- The bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subjects of the Bid; or
- g) Bidder or any other of its affiliates has been hired (on is proposed to be hired) by the Procuring Entity as Engineer –In –Charge/consultant of the contract.

Annexure B Declaration by The Bidder Regarding Qualifications

Declaration By the bidder

- 1. I/we possess the necessary professorial, technical, financial and managerial resources and competence required by the bidding document issued by the Procuring Entity;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the State Government or any other local authority as specified in the Bidding Document;
- 3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our business activities suspended and not the subject of legal of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interests as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date: Place:

Signature of Bidder: Name: Designation: Address:

Annexure C: Grievance Redressal during procurement Process

The designation and address of the First Appellate Authority is **Registrar**, Agriculture University, Jodhpur.

The Designation and address of the Second Appellate Authority is Vice Chancellor, Agriculture University, Jodhpur, Jodhpur.

1) Filling an Appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring Entity is a contravention in the provisions of the Act or the rules or the Guidelines issued there under he may file an appeal to First Appeal Authority, as specified in the bidding document with a period of ten days from the date of such decisions or action, omission, as the case may be clearly giving the specific ground or the grounds on which he feels aggrieved:

Provide that after the declaration of a Bidder as successful the appeal may be field only by a bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of a financial bid, an appeal related to the matter of a financial bids may be filed only by a bidder whose technical bid is found to the acceptable

- 1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of appeal,
- 2) If the officer designated ,under para (1)fails of dispose of the appeal filed within the period specified in para (2),or if the Bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the First Appeal Authority, the bidder or the prospective bidder or the procuring entity as the case may be ,may file a second appeal to Second appellate Authority specified in the bidding Document in this behalf within fifteen days from the expiry of the period specified in para(23)or of the date of receipt of the order passed by the First Appellate Authority, as the case may be,

3) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely: -

a) determination of procurement;

- b) provisions limiting participation of bidders in the bid process.
- c) the decision of whether or not to enter into negotiation;
- d) cancellation of procurement process.
- e) applicability of the provisions of confidentiality.

4) Form of Appeal

- a) An appeal under para (1) or (3) shall above in the annexed from along with as many copies as there are respondents in the appeal.
- b) Every appeal shall be accompanied by an order appealed against, if any affidavit
- c) Every appeal may be presented to First Appeal Authority or second Authority as the case may be, in person or through registered post or authorized representative.

5) Fee for filling appeal

a) Fee for first appeal shall be Rupees Two Thousand Five Hundred and for Second Appeal shall be Rupees Ten Thousand, which shall be, non-refundable,

b) The fee shall be paid in the form of bank Demand Draft or Bankers cheque of a scheduled Bank in India payable in the name of appealed Authority concerned.

7) Procedure for disposal of appeal

- a) The First Appellate Authority or second Appellate Authority, as the case may be filling of appeal shall issue notice accompanied by the copy of appeal, affidavit and document, if any to the respondents and fix date of hearing.
- b) on the date fixed for hearing the First Appellate Authority or Second Authority, as the case may be, shall
 - i) hear all the parties to appeal present before him; and
 - ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority Concerned shall pass an order in writing and provide the copy of order to rh parties to appeal free of cost.
- d) The order passed under sub clause (c) above shall also be placed on the State Public Procurement Portal.

SIGNATURE OF THE BIDDER WITH SEAL AND DESIGNATION

Annexure D: Additional condition of Contract

1. Correction of arithmetical errors:

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected and
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected and.
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed,

2, Procuring Entity's Right to Vary Quantities

- i. At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified Percentage, but such increased or decreased shall not exceed twenty percent, of the quantity specified in the Bidding Document, It shall be without any change in the unit prices or, other terms and conditions of the Bid and the conditions of contract.
- ii. If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- iii. In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than50 % of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.
- 3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable at the rates of the Bidder, whose Bid is accepted.

FORM NO. 1

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No. of Before the(First/Second Appellate Authority)

1. Particulars of appellant; i. Name of the appellant;

ii. Official address, if any;

iii. Residential address:

- 2. Name and address of respondent(s); i.
 - ii.
 - iii.
- 3. Number and date of the order appealed against and name and designation of the officer/ authority who passed the order (enclose copy) or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
- If the Appellant proposes to be represented by a 4. representative, the name and postal address of the representative: y 5.

Number of affidavits and documents enclosed with the

1	appeal:
	appeal:
	(Supported by an affidavit)
	Prayer:
•	

Place : Date :.... Appellant's Signature

Form of Bid Securing Declaration

Date: Bid No.: Alternative No.

To: The Comptroller, Agriculture University, Jodhpur (Raj.)

We, the undersigned declare that:

We understand that, according to you conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we are required to pay the bid security amount specified in the Term and Conditions of bid, in the following cases namely: -

- (a) When we withdraw or modify our bid after opening of bids;
- (b) When we do not execute the agreement, if any, after placement of supply/work as per supply/work order within the time specified;
- (c) When we fail to commence the supply of the goods or service or execute work as per supply/work order within the time specified;
- (d) When we do not deposit the performance security within specified period after the supply/work order is placed; and
- (e) If we breach any provision of code of integrity prescribed for bidding specified in the Act and Chapter VI of these rules.

In addition to above, the State Government shall debar us from participating in any procurement process undertaken for a period not exceeding three years in case where the entire bid security or any part thereof is required to be forfeited by procuring entity.

We understand this Bid Securing Declaration shall expire if:-

- (i) We are not the successful Bidder;
- (ii) The execution of agreement of procurement and performance security is furnished by us in case we are successful bidder;
- (iii) Thirty days after the expiration of our Bid.
- (iv) The cancellation of the procurement process; or
- (v) The withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

[Note : In case of a Joint Venture, the Bid Securing Declaration must be signed in name of all partners of the Joint Venture that is submitting the bid.]